

# multi-quat 64 xtra

**One-Step pH Hospital Grade** Disinfectant

# **Product Properties**

COLOR: Clear Blue ODOR: Citrus VISCOSITY: 10 cps pH: 7-8 FLASH POINT: 94°C (PMCC) SPECIFIC GRAVITY: 1.007 **DETERGENCY: Excellent** SOLUBILITY IN WATER: Complete ACTIVE INGREDIENT: Quaternary ammonium chlorides

## **EPA REGISTERED**

SLP - SECONDARY LABEL PROGRAM NOTE: NOT ALL DISINFECTANT AND SANITIZER PRODUCTS ARE AVAILABLE IN ALL STATES.

**Description** This product for use in: Hospitals, nursing homes, medical and dental offices and clinics, operating rooms, isolation wards, medical research facilities, restaurants and bars, cafeterias, institutional kitchens, fast food operations, food storage areas, supermarkets, convenience stores, retail and wholesale establishments, dressing rooms, laundries, institutional facilities, laboratories, factories, business and office buildings, restrooms, hotels and motels, transportation terminals, churches, classrooms, tabletic facilities, locker rooms, camp grounds, play grounds, recreational facilities, food processing plants, health clubs, spas, tanning spas, massage/facial salons, tattoo parlors. This product is a one-step neutral disinfectant that is effective against a broad spectrum of bacteria, is virucidal (including

HIV-1, HIV-2, HBV and HCV) and inhibits the growth of mold and mildew and their odors when used as directed. This product, when used as directed, is formulated to disinfect the following hard nonporous inanimate environmental surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, vanity

surfaces, nover stalls, bathtubs, and cabinets. This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

**Directions For Use** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DISINFECTION: To disinfect inanimate, hard non-porous surfaces add 2 ounces of this product per gallon of water. Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. For sprayer applications, spray 6-8 inches from surface, rub with brush, sponge or cloth. Do not breathe spray mist. For heavily soiled areas, a pre-cleaning step is

required. Prepare a fresh solution for each use. KILLS HIV-1, HIV-2, HBV, AND HCV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 or Type 2 (HIV-1 or HIV-2) (associated with AIDS) or Hepatitis B virus (HBV) and Hepatitis C virus (HCV). SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HIV-2, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. PERSONAL PROTECTION: When handling items soiled with blood or body fluids use discarche lature governe marks and our sourcing careful for the source protection.

with blood or body fluids, use disposable latex gloves, gowns, masks, and eye coverings. **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **CONTACT TIME:** Allow surface to remain wet for 10 minutes. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other

body fluids must be autoclaved of entain wet of to find these. DISPOSAL OF INFERIOUS matternals, block and disposal. EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE AND VIRUCIDE AGAINST THE LISTED ORGANISMS IN WATER UP TO 400 PPM HARDNESS (AS CaCO,) IN THE PRESENCE OF ORGANIC SOLI (5% BLOOD SERUM), THIS PRODUCT IS AN EFFECTIVE FUNGICIDE AGAINST THE LISTED FUNGI IN WATER UP TO 200 PPM HARDNESS (AS CaCO<sub>3</sub>) IN THE PRESENCE OF ORGANIC SOLI (5% BLOOD SERUM). GENERAL CLEANING: Apply this product to soiled area with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarso errower Tbis product to soiled area with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer. This product can be diluted at 2 ounces per gallon or applied at full strength. Thoroughly wet soiled surface and scrub as necessary. **DEODORIZATION:** To deodorize, apply this product as indicated under the heading DISINFECTION.

130523-0231

© INTERCON 2013

DANGER KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. May be fatal if absorbed through the skin. Harmful if swallowed. Wear goggles or face shield, rubber gloves, and protective clothing. Remove contaminated clothing and wash clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

# First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. If in eyes: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes.

Call a poison control center or doctor for treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

1100 Central Industrial Dr. St. Louis, Missouri, 63110

toll free: 800 325 9218 main: 314 771 6600 fax: 314 771 6608 email: info@interconchemical.com



REFER TO PRODUCT LABEL AND MSDS I FOR ADDITIONAL INFORMATION